

# **BLOOM INNOVATION:**

International Standards: Bloom is an ISO 9001:2008 Company and has market presence in over 30 countries by pursuing high standards in process, product quality and on-time delivery.

Made for India: Fabricated with climate stability and fire resistance, our doors are made to withstand the extreme weather conditions of India - scorching heat, maximum humidity, torrential rains, floods, and built-in sound insulation for high noise level environments and safe-guard against the fire hazards that part of Indian living and celebrations.

**Custom Fit:** Bloom is the only manufacturer to offer you doors of international standards customized to your exact measurements. You can simply choose the color, grain and the make, order it in the size you need and pick it up from the store. It's that Simple.

A visit to Bloom is simply having the best of both worlds.



ii.|

Durability  - Durability  - COMPACT HPL  TUBULAR BOARD  NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM NO EDGES SEEN, NO EDGE BANDING REQUIRED PIONEERS IN HPL MANUFACTURING  NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM ARCHITECT /  - Exclusivity  - Exclusivity  - Exclusivity				
A CONSUMER  *Sound resistance   FEATURES  *UBULAR BOARD   WIDE RANGE OF LAMINATES   NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM   COMPACT HPL  *Zero maintenance   Cost effective   Cost effecti				
A CONSUMER  Sound resistance Fire resistance Strength Elegance Durability  TUBULAR BOARD WIDE RANGE OF LAMINATES NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM COMPACT HPL  TUBULAR BOARD NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM NO EDGES SEEN, NO EDGE BANDING REQUIRED PIONEERS IN HPL MANUFACTURING  NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM NO EDGES SEEN, NO EDGE BANDING REQUIRED PIONEERS IN HPL MANUFACTURING				
**CONSUMER**  **Fire resistance** **Strength** **Elegance** **Durability*  **Durability*  **TUBULAR BOARD** **NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM NO EDGES SEEN, NO EDGE BANDING REQUIRED PIONEERS IN HPL MANUFACTURING  **NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM NO EDGES SEEN, NO EDGE BANDING REQUIRED PIONEERS IN HPL MANUFACTURING  **NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM COMPACT HPL  **NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM COMPACT HPL  **Exclusivity**  **Exclu	_ YOU ARE		_ BLOOM DOORS FEATURES	
A CONSUMER   • Fire resistance • Strength • Elegance • Durability  • Zero maintenance • Cost effective • Zero site work • Timely delivery  • Exclusivity  • Exclusivity   wide range of Laminates No MDF, No PLY, No Core, No Face, No Problem No MDF, No PLY, No Core, No Face, No Problem No EDGES SEEN, No EDGE BANDING REQUIRED PIONEERS IN HPL MANUFACTURING  No MDF, No PLY, No Core, No Face, No Problem COMPACT HPL		• Sound resistance	TUBULAR BOARD	
Durability      Durability      TUBULAR BOARD     NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM COMPACT HPL  TUBULAR BOARD     NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM NO EDGES SEEN, NO EDGE BANDING REQUIRED PIONEERS IN HPL MANUFACTURING  AN ARCHITECT /  PExclusivity  PExclusivity  PERCENTIFICATION OF THE PLANT OF THE PROBLEM COMPACT HPL  **Exclusivity**	CONSUMER	• Fire resistance		
**DUILDER  **NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM PIONEERS IN HPL MANUFACTURING  **NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM COMPACT HPL  **Exclusivity**  **Exclusivity**  **Exclusivity**  **Exclusivity**  **Exclusivity**  **Exclusivity**  **DUILDER  **DUILDER  **DUILDER  **NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM COMPACT HPL  **Exclusivity**  **Exclusivit		• Elegance	NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEMS	
AN ARCHITECT /  AN ARCHITECT /  - Zero maintenance - Cost effective - Zero site work - Timely delivery  - Exclusivity  - Exclusivity  - Zero maintenance - Cost effective - Zero site work - Timely delivery  - No MDF, No PLY, No Core, No FACE, No PROBLEM - No MDF, No PLY, No Core, No FACE, No PROBLEM - COMPACT HPI			COMPACT HPL	
• Cost effective • Zero site work • Timely delivery  • Cost effective • Zero site work • Timely delivery  • Exclusivity  • Cost effective • Zero site work • Timely delivery  • Cost effective • Zero site work • Timely delivery  • PIONEERS IN HPL MANUFACTURING  NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM  NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM  COMPACT HPI	BUILDER	<ul><li>Cost effective</li><li>Zero site work</li></ul>	TUBULAR BOARD	
NO EDGES SEEN, NO EDGE BANDING REGUIRED  PIONEERS IN HPL MANUFACTURING  NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM  COMPACT HPI			NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEMS	
NO MDF, NO PLY, NO CORE, NO FACE, NO PROBLEM COMPACT HPI			NO EDGES SEEN, NO EDGE BANDING REQUIRED	
ARCHITECT / • Exclusivity > COMPACT HPI		milety delivery	PIONEERS IN HPL MANUFACTURING	
ARCHITECT / • Exclusivity > COMPACT HPI	ΔN		NO MDE NO PLY NO CORE NO FACE NO PROBLEMS	
INTEDIOD DEGIONED	ÄRCHITECT / Interior designer	• Exclusivity • Innovation		
INTERIUR DESIGNER  URBA EKZO				
CONTRACTOR  • Ready to install • Resizeable  • Resizeable	A		NO EDGES SEEN	
**CONTRACTOR**  • Ready to install • Resizeable  • Ready to install • Resizeable  NO EDGE BANDING REQUIRED	A	• Poody to install		

# **CONSTRUCTION METHODS:**

### **Traditional Door issues:**

- Lacks the fit, finish, quality and durability.
- Made with mixed quality wood of varying density.
- Labour intensive and prone to cause termite and borer problems.
- Inconsistent surface quality, reducing the life of your door.
- Not engineered for sound insulation or fire resistance.









### Bloom's ECO Doors:

It's time to discard the problem infested flush-doors and open yourself to Bloom's GREEN initiative, tubular infill doors. We give you 10 reasons why you should —



1. Fire Resistance: The extrusion method in the particle direction that is predominantly vertical provides fire resistance and slower rate of burning.



2. Sound Insulation: The construction leads to almost 50% reduction in sound passed via Bloon door compared to a traditional door.



3. Impact resistance: The arch principle of the build and the density of solid areas, i.e. the walls of the board gives Bloom doors high impact resistance.



4. Climate Stability: The tubular structure helps of Bloom doors maintain straightness. No bulging, warping or expansion due to extreme weather conditions of India.



5. Thickness Precision: Critical thickness tolerance +/-0.1mm of the calibrated boards gives Bloom doors

strong bond to the door skins.



 Weight Reduction: Tubular boards give value weight to Bloom doo making them ideal choice for hi-rise buildings besides providing acoustic benefits.



# **BLOOM ISI CERTIFICATIONS:**

**ISI Certification:** Bloom Doors exceed ISI standards and they are technically modified for enhanced acoustic and insulation properties. We are certified for:

GREEN LABEL | ISI 5509-2000 | PEFC | E1 GRADE | IS 4020 | FSC














































































# **BLOOM FRAMES & ARCHITRAVES**

Frames and architraves are the essential associates to a door. They add a whole new dimention and are crucial to the form and structure of a door. From a selection of 100% kiln dried wood, be it a HPL or an engineered door, the frames and architraves make the door complete.

# DECORATIVE FRAME AND ARCHITRAVE

# SOLID WOOD FRAME WITH ARCHITRAVE

Frame Size: Length (mm) – 990, 2210
Section (mm) – 90 x 55, 115 x 55 (Solid wood frame)
Section (mm) – 90 x 32, 115 x 32 (Decorative)

Architrave Size: Length (mm) – 1070, 2290
Section (mm) – 15 x 12

Frames and architraves will be supplied in loose length pieces only and any resizing and installation is to be done at site.

# **BLOOM DOOR SPECIFICATIONS:**

### DOORS WITH PERFECT SURFACE



### **DOORS CROSS SECTION & DIMENSIONS**



Stile & Rail: Klin dried solid wood
Filler: Tubular particle board

Surface: High pressure compact laminate


Bonding: D3 Adhesive

**Door Sizes:** Height (inches) – 78, 81, 84 Width (inches) – 27, 30, 33, 36

Thickness (mm) – 32, 35, 40 Custom sizes available on request

Resizable: Maximum upto 20mm from any side

48.



### **BLOOM CARE & WARRANTY:**

**How to clean & care:** Cleaning should be carried out with a soft moist cloth and warm soap solution. Do not use detergent containing abrasive particles or excess soda (care and maintenance does not apply to all metallic patterns as they are very sensitive).

"Re-sizing of the door is to be done at site as per the required measurements. The door edges will need to be polished or covered with any suitable material after the re-sizing is done to protect the wood seen on the sides from weather effects".

### PRODUCT WARRANTY

Bloom laminated doors are guaranteed by Bloom Dekor Ltd (herein after referred to as "the manufacturer") for One (1) year from the date of invoice to be free from defects arising from faulty workmanship or materials, subjects to the following conditions.

- 1. Doors are to be installed and maintained according to the manufacture's recommendations, and are not to be subjected to misuse, abuse or neglect. Doors that have become defective arising from the failure to follow these conditions and doors that have been subjected to shipment or storage hazards after they have left the control of the manufactures shall not be covered by this warranty.
- 2. Doors are to be inspected upon arrival for visible defects and any claim arising there on must be filed within seven (7) working days, in writing.
- The manufacturer shall not be liable for any additional charge for installation painting or other charges, including incidental costs, airing from the repair of doors.
- 4. Repairs are to be carried out only by the manufacturer and its appointed agents. There will be no reimbursement, for any charges incurred for the repair or replacement of doors without the prior written consent of the manufacturer to such replacement.
- Breakage of glass, except arising from faulty workmanship or material, shall not be the responsibility of the manufacturer.
- Warranty shall not be covered when door opened and found defective, but installed or not in the same condition as delivered.
- 7. HPL is manufactured of interior grade quality and surface fading due to direct sunlight will not be covered under warranty.

Note: Pictorial representation are intended only as indications of design and colour and not as perfect reproductions of the end product

# **BLOOM DOOR & LAMINATE INDEX**

Collections:	Door Code	Door Name	Laminate Ref.	Laminate Brand	Page#
Black Label	KH 1013 wd	Slate oak	47823 wd	Bloom	1
Black Label	KH 1015 wd	Wenge le sable	UE 633 wd	Urbaekzo	2
Black Label	KM 1001 pg vn	Pao wood	BY 47463 pg	Bloom	3
Didok Edbor	Turn 1601 pg 111		BY 47463 vn		
Black Label	KM 1002 pg vn	Pao wood	BY 47463 vn	Bloom	4
			BY 47463 pg		
Black Label	KM 1017 wd	Maloja wood / Sable alsace	8080 wd	Olive	5
			UE 339 wd	Urbaekzo	
Black Label	KM 1018 sa wd	White oak / Sable alsace	UE 339 wd	Urbaekzo	6
			8986 sa	Olive	
Black Label	KM 1007 ss	Rain oak	4913 ss	Bloom	7
			4914 ss		<u> </u>
Black Label	KM 1008 ss	Rain oak	4913 ss	Bloom	8
			4914 ss		
Black Label	KH 1021 vn	Flamenco walnut	BY 75573 vn	Bloom	9
Black Label	KH 1022 vn	Soho teak	4725 vn	Bloom	10
Black Label	KM 1016 dw	Trocardero wood	UE 613 dw	Urbaekzo	11
			UE 616 dw		
Black Label	KH 1003 sm	Lefkas	BY 75223 sm	Bloom	12
Black Label	KV 1011 sm	Boston elm	UE 629 sm	Urbaekzo	13
Black Label	KV 1005 vn	Natural canaletto	UE 649 vn	Urbaekzo	14
Black Label	KV 1012 aw	New York elm	UE 626 aw	Urbaekzo	15
Black Label	KV 1014 vn	Kasama chestnut	UE 673 vn	Urbaekzo	16
Green Label	KF 510 ss	Radial wood choco	BY 49383 ss	Bloom	17
Green Label	KH 505 rm	Smoked oak horizon	4981 rm	Bloom	18
Green Label	KH 507 ss	Radial wood radika	BY 49363 ss	Bloom	19
Green Label	KH 1009 hp	Flowery wenge	HO 4909 hp	Bloom	20
Green Label	KF 701 ss	Sapeli	4921 ss	Bloom	21
Green Label	KF 801 ss	Radial wood teak	BY 49353 ss	Bloom	22
Green Label	KH 1004 ss	Stripes	3215 ss	Olive	23
Green Label	KH 506 ho wd	Ondes wood	BY 47763 ho wd	Bloom	24
Green Label	KH 504 rm	Oak horizon	4980 rm	Bloom	25
Green Label	KM 1020 du	Frosty white / Steel grey	5015 du	Bloom	26
			5645 du		
Green Label	KM 508 ss	Coburg oak chocolate / beige	4917 ss	Bloom	27
			4916 ss		
Green Label	KM 502 rm	Elegant oak	8700 rm	Olive	28
Green Label	KV 401 zb	Farm maple	4172 zb	Bloom	29
Green Label	KV 501 wd	Coburg oak chocolate	4917 wd	Bloom	30
Green Label	KV 951 rm	Flower wenge	8911 rm	Olive	31
Green Label	KV 601 ss	Burmise pine	8518 ss	Olive	32
Green Label	KM 1006 wd	Smoky wood	4408 wd	Bloom	33
Green Label	KF 601 ss	Burmise pine	8518 ss	Olive	34
Green Label	KV 802 rm	Canton teak	8047 rm	Olive	35
Green Label	KF 802 ss	Canton teak	8047 ss	Olive	36
Green Label	KV 701 wd	Sapeli	4921 wd	Bloom	37
Green Label	KV 502 sa	Elegant oak	8700 sa	Olive	38
Green Label	KV 1010 zb	Padang	UE 383 zb	Urbaekzo	39
Green Label	KV 101 ss	Mysore ivory	5112 ss	Bloom	40
Veneer	VH 781	Walnut			42
Veneer	VH 981	Wenge			43
Veneer	VH 831	Teak			44
Veneer	VH 531	Oak			45
Veneer	VH 731	Sapeli			46

